

Open-Apple™

Index
Volume 1

ISSN 0885-4017
newstand price: \$2.00
per page photocopy charge: \$0.25

Releasing the power to everyone.

Index to Volume 1

by Alan Womack

In the following index, a lowercase letter appears after each page number. This letter points to the column an entry appears in. For example, "47a" refers to the first column on page 47; "56c" to the third column on page 56. A few of the entries are followed by "d". This refers to the "grey box" on the corresponding page.

symbols

& (see ampersand)

A

A+ magazine 6c
Abacus 22b, 22c
accelerator cards 69a-69b, 94b-94c
Access II 78b
Addison-Wesley Publishing Co. 26a, 33b, 86b
Agricomp 17a
AmDOS 93a
Amiga 104c
ampersand 17b, 41b-42a, 55a, 66b, 67a
annunciators 16a
APA 52b, 77b
APPEND 21b, 24a-24c
Apple Assembly Line 6c, 30a, 53a
mailing address 77a
Apple Computer, Inc.
French subsidiary 49a
opinions of 1b, 9, 17a, 25a, 33a
prices 89a
reorganization 49
sales 9a, 49a, 73a, 89a
stocks 17a, 25a
Apple II+
and AppleWorks 57a-57b
expanding 69c
40-column firmware 48c
future support 26a, 45b, 53b
identification bytes for 40b
Apple IIc
bank switching 89a
changes in ROM 41a-44a, 89a
documentation 14b, 26a, 86b
80-column firmware 48c
expanding 35a, 89a
future support 45b, 89a
identification bytes 40b, 89a, 99b
interrupt handling 46b
manuals 26a, 33b, 86b
modem bug 47a, 72b, 89a
monitor (see Monitor)
mousetext compatibility 25b, 26a
mother board enhancement 89a
reference manual 26a, 86b
serial ports 72a-72b, 83a, 86b, 89a
system utilities 77b, 96b, 96c
Apple IIe
65802 chip 3a
80-column firmware 48c
enhanced ROMS 17a, 20b, 25a, 30c, 41a
compatibility 25a, 30c, 38a
features 17a, 20b, 28a
expanding 24a, 34a
interrupt handling 46b, 71c
manuals 26a, 33b
monitor (see Monitor)
MouseText 25b, 26a
reference manual 26a, 33b

Apple IIx 2a, 3a
Apple III 1b, 17a, 49b, 56c
Apple Software for Pennies 104b
Apple Writer
Applesoft programming with 71a-71b
ASCII format when printing 98a
communications capability 78a-78b, 102c-103a
compatibility with new ROMS 25b
embedding control characters 87b-88b
exec files 36a
hard disk support 29b
null character patch 104b
printing 87b-88b, 88c
ProDOS version with printers 22a
random access files 71a-71b
update V2.1 97b
Apple Dot Matrix Printer 39a, 83b
Apple mouse (see mouse)
Apple Orchard 66a
Apple ProDOS: Advanced Features for Programmers 72c, 101c
Apple Scribe 39a, 45b
Applesoft
changes in IIc, enhanced IIe ROMS 41a-44a
extended memory 34b
future support 2a
garbage collection 4a-5b
printing 85b, 87a-87b
program processing 2b, 4a-5b
program storage in memory 75a
programs (see program by name)
tokens 55a, 75a
windowing 48a
Applesoft BASIC Programmer's Reference Manual 2b
Applesoft Programmer's Kit 3a
Applesoft Reference Manual 26a
Applesoft Tutorial 3a, 26a
AppleTalk 17a, 28b, 36a
AppleTalk Developer's Notes for Apple IIe 61a, 73a
Inside AppleTalk 61a
network card 73a
AppleWorks
adding files to the desktop 59b, 60a
Apple II+ 26a, 57a-57b
automation of 95b
boldface printing 58a, 72a, 88b
IDS Microprism 480 printer 102b
cells 58b, 92a
choosing drive 59b, 60a, 87c
clipboard 59b, 60b, 69a, 91b-92b
control-B 58a
control-L 58a
control-Y 58a
creating text files 36d, 59b
database 58a-58b, 92b
desktop 58b
DIF files 59b, 60a, 92b
emptying clipboard 91b-92a
EXECing 95b
expanding 24a, 34b-35a, 46a, 46b, 97a
file types 59a
file structures 61a, 69a
form length 94b
Franklin computers 57a-57b
future support 28b
hard disk support 29b
insert cursor 57b
international character use from 104c
limits 23c, 24a, 58b, 69a
locking files 60b
menus 58b-59a

moving data 91b-92b
multi-column printing 71b-71c
Notes for AppleWorks 61a, 69a, 71b-71c
Okidata printer use 30c, 78b-78c
Open-apple '(ditto) 92b
Open-apple A(rrange) 92b
Open-apple C(opy) 59b, 91b, 92a, 92b
Open-apple E(xchange cursor) 57b
Open-apple H(ard copy) 85a
Open-apple K(alculate) 58a
Open-apple L(ayout) 92b
Open-apple M(move) 59b, 91b, 92a, 92b
Open-apple N(ame) 92b
Open-apple Q(quick change) 59a, 92b
Open-apple O(ptions) 57b-58a, 71b, 88a
Open-apple P(rint) 60b, 91b
Open-apple Z(oom) 58a, 58b, 71b, 92b
overstrike cursor 57b
page numbering option 102b
patches (see Applied Engineering, Checkmate Technologies)
plotters 95c
print formatting 57b-58a
printing 15a-15b, 22a, 30c, 45b, 60b, 86b-88c
printing to disk 60b, 69a, 81b, 87b
proportional spacing 84b, 86a-86b
RESET handling 95b
sales 17a
saving files 60a-61a
setting printer parameters 81b, 88a-88b
spreadsheet 58b, 92a
corrupted data 79a-79b
formula limits 58b
switching applications 59a
troubleshooting 87b
tutorial 57a-61a
underlining 58a
update V1.3 97a
user's groups 61a
word processor 57b-58a, 92a
AppleWorks: Tips and Techniques 97b
Applied Engineering
AppleWorks patches 24a, 34a-35b, 57a, 58b, 69a, 89b
RAM disk 32b, 34b
RAMWorks 24a, 32b, 46a, 46b, 89b
RAMWorks II 89b
RAMWorks review 34a-36a
Z-RAM 69c
ASCII codes 84a-85a
ASCII Express 25b, 38a, 86c-87a
Assembly Cookbook for the Apple III/IIe 54b
Assembly Lines: The Book 47a
Atari 49b
AUX_TYPE 63c, 74b-76a
auxiliary-memory chip failures 77c

B

Backup II 46b
Bag of Tricks 95a
bank switching 47c, 69c, 89a, 90a
Apple's memory card accessing scheme 90a
BSAVE, T(type), and CREATE 63b-63c
Basham, Bill 17b, 30a
Basic Programming with ProDOS 3a, 26a, 38b, 52a-52b, 96b
Basic system (see ProDOS)
baud rate 82b, 83a
Beagle Bros
Beagle Graphics 36a
BIGLINER 37b
DiskQuik 29c, 62a

Extra K 53a
 Frame-Up 1a, 6a
 Peeks, Pokes, and Pointers Chart 23a, 27a
 ProntoDOS (see ProntoDOS)
 Silicon Salad 62b
 Triple Dump 96a
 Utility City 37b
 Beagle Graphics 36a
 Beneath Apple DOS 33b, 99c
 Beneath Apple ProDOS 32a, 52b, 55b, 63b
 Beyond Turtle Graphics 37a
 Boering, Brooke 9a
 Bongers, Cornelius 32b, 43b
 book reviews 61b
 BOOT13 15a
 Borland International 35a
 Brady Communications 52b, 72c
 Bredon, Glen 51a, 52a, 102a
 bugs/fixes
 6502 chip bug 80a-80c
 Applesoft 43b
 Basic.system 40a, 56a-56b
 BRUN (DOS 3.3) 54b-54c
 Call A.P.P.L.E. fast garbage collector bug 22b
 DOS 3.3 APPEND fix 24a
 DuoDisk bug 98b
 fixing stack after reset 16b
 HCOLOR bug and fix 47c
 Incinerator 76a-76b
 Input Absolutely Anything 74a-74b, 102c
 keypad 98a
 problem too complex 15c, 56b-56c
 ProDOS 40a, 40b, 55b-55c
 ProDOS destroying track 0 103c
 ProDOS copy program 74b-76a
 *reset 16b, 63b
 RETURN WITHOUT GOSUB error 43b
 SuperCalc 3A 98a
 UniDisk 3.5 ROM 98a
 bulletin boards 53a, 61b, 71c, 77c
 Bus School 6c, 90a-90b

C

California lawyers 91a, 91b
 Call -151 (see Monitor)
 Call -2458 20a
 Call -3288 2b, 15c, 95a
 Call 64367 16c
 Call A.P.P.L.E. 3a, 5a, 6c, 32b, 37a
 compilers under ProDOS 70b
 complaint 22c
 garbage collection bug 22b
 In Depth #1: All About Applesoft 43b, 62b, 66a
 In Depth #3: All About DOS 24b, 71a
 INPUT routines 66a-66b, 67b, 74a
 reader demographics 76a
 sector reader/writer reference 103b
 The Spreadsheet 70c
 Centronics 82b
 cassette command cave 41b, 42a, 42b
 Catalyst 29a-29b, 102a
 CCIR 35b
 CHAIN (see CHAIN under DOS 3.3 or ProDOS)
 character sets 27a
 Checkmate Technologies 46a, 69a, 72a
 chip (6502)
 compatibility with future chips 2a, 3a, 25a
 Poke 72.0 30c, 77a
 registers 20a
 reset effects 16a
 switching with 65802 3a
 chip (65802) 3a, 50a, 94b-94c
 chip (65816) 3a, 28b, 30a, 50a, 56c, 94c
 chip (65C02) 12a, 20b, 25a, 53a, 94b-94c
 chip (Z80) 44b, 47b
 chip RAM 76a-76b
 CHKCOM 74b
 CHKSTR 74b
 CLEAR 16b
 clearing the stack 2b, 15c, 52a, 95a
 clipboard (AppleWorks) 59b, 60b, 69a
 clocks 79c-80a, 94a
 Commodore 6c, 9a, 49b
 compilers 14a-14b, 70a-70b
 composite monitors 35b
 CompuColor 1b
 CompuServe 14b, 15b, 17b, 18a
 Computer Shopper 28b, 96a
 CondiCom 71a

CONTACT 66a
 Control-reset
 effects 12a, 16
 trapping 16
 Control-B 20b, 21a
 Control-C 2b, 16c, 20b, 21a
 Control-D 23b
 Control-E 20a, 20b
 Control-I 54a
 Control-K 20b, 21a
 Control-L 28b
 Control-N 27b
 Control-O 27b
 Control-P 70a
 Control-S 11b, 28b
 Control-U 67b-68a
 Control-W 28b
 Control-Y 12b, 13a-13b
 CONVERT 32a, 40a, 40b, 55a, 64b, 79c
 use with single drive 72c, 77b, 100a
 copy protection 15a, 53c, 70c, 94c
 COPYA 31b, 32a
 Corvus 9b
 COUT 23b, 67b, 68a, 74a
 CPM 44a-45a
 cards and Sider hard disk 38c
 hard disk support 10a, 28b, 29b, 38c
 HeDaPs 7b
 programs 57b-58a
 Wordstar 29b
 Z-RAM 69c
 CREATE 51b

D

\$D9C6 13a
 Dark Star Systems 79b
 data processing 7b
 Data Transformations Inc 3b
 Dataquest 9a
 DB Master 58b, 70c
 dBase II 58a
 Demco Electronics 47b
 Developer Disk #1 52a
 Digging into DOS
 executing ASCII files 13a
 ProDOS /RAM/ file mover 50a
 reading text files 2a
 DIM 2b
 DIP switches 2d, 83a-83b
 disassembly 11b-12b
 disk drives
 570k dream-drive 93c
 400k 9b, 10a
 40+ tracks 9b, 31a-32b, 55b-55c
 800k 28b, 50a, 73a-73b
 8086/2 22b, 22c, 71a
 Disk II 61a-61b, 90a-90b
 DuoDisk 64c, 90a-90b, 94a
 IIc adapter 61a, 90a
 mixing 5-1/4" drives 90a
 noise 94a
 3.5 inch drives 9b, 28b, 45b, 56c
 tracks 9b
 trouble 14c-15a, 98a
 UniDisk 3.5 73a, 73b, 89a, 93a-93c
 ROM bug 98a
 UniDisk 5.25 61a-61b, 90a-90b
 disk recovery 14c, 15a
 disk flipping 38c-39a, 54a
 disk hardware problems 14c-15a, 98a
 DiskQuik 29c, 22a
 display screen (see screen display)
 DisplayWriter 7b
 Disassembly Lines 56a
 Diversi-DOS 10b, 17b, 62a
 Diversified Software Research 9b
 DOS 3 3a
 DOS 3.1 3a
 DOS 3.2 3a, 15a
 DOS 3.3
 APPEND fix 24a
 BLOAD length address 51b
 BLOAD start address 51b
 B(byte) parameter 51a
 BOOT13 15a
 BRUN bug 54b-54c
 catalog filenames only 30a
 CHAIN 34b
 compilers 14a

80-column screen control 6b, 15b
 EXEC files 13a, 36b
 40-track drive support 9b, 22b, 32a-32b
 free space 23a
 future support 2a, 25b, 28b, 29b, 45b, 56c
 garbage collection 4a, 5a, 17b-19b
 hard disk support 3a, 10a, 29a
 lower-case patch 38b
 PEEK (978) problems 64a-64b
 OPEN 23a
 POKE 72.0 (see POKE 72.0 and POKE 72.4)
 POKE 1403 problems 39c
 ProDOS and DOS 3.3 hybrid disks 99c-100a
 RAM disk software 35a
 RANA DOS 22b, 32b
 RESET handling 16
 relocating 23a
 RWTS 7a
 sector to ProDOS block table 55b
 serial ports on the IIc 72a-72b
 system master 15a, 20a, 41a
 text files 21b, 23a, 39a
 volume number 94c-95a
 VTOC 7a, 23a
 warm start 12a, 16b
 DOS mover 32b, 64a-64b
 DOSstalk 1a, 4a, 7a, 12b, 60a
 adding commands to ProDOS article 52b
 INPUT routine 66b
 DIF files 60a
 ProDOS type command 52b
 DOSstalk Scrapbook 66b, 67d, 70a, 103b-103c
 DOS-UP 23a-23b
 double lo-res 43a-43b
 double hi-res
 software 43a
 (also see *Fontrix* and *Beagle Graphics*)
 super hi-res graphics cards 47a
 with RAMdisk 30b
 with RGB monitors 36a
 Dr Basic 1a, 6c
 DUPLICATE PATHNAME ERROR 51b
 Dvorak, John 1b, 33a

E

EDASM (ProDOS assembler) 54b
 END OF DATA 2a-3a, 52a, 94c, 95a
 Enhancing Your Apple IIe 1b, 63a
 Ericson, Robert 61a
 EXEC 13a, 95a-95b
 EXTRA IGNORED 65b
 Extra K 53a
 Eyes, David 30a

F

Facelift 2 99a
 File Cabinet 52b
 FILER 32b, 50a, 55b-55c, 72c
 Fingerprint-Plus 53c-54a
 Fire in the Valley 61b
 Fontrix 3b
 Format II Enhanced 55a
 Frame-Up 1a, 6a
 Franklin 76b, 89a
 AppleWorks 57a-57b
 FRE 4b, 5a, 5b, 51b
 FRESPEC 68a
 FRETOP 4a, 4b, 5b, 51b
 Freewriter 36d, 36b-37a
 Fretwell, Cecil 5a, 66b, 70b

G

garbage collection 4a-5b, 17b-19b, 22b, 23a
 GBBS II 53a, 71c, 77c
 GDBUFS 74b
 General Manager 58b
 get-loop 65a-65b, 66a, 66b
 GETSPA 68a
 graphics printing 53b-54a, 84b
 Mousepaint 95c
 (also see high-res graphics)
 Graphics Tool Kit 47a-47b
 graphics utilities 3b
 Grappler-Plus 14a, 15a, 53b, 84b-87c

- H**
- Hackers: Heros of the Computer Revolution* 61b
 - HAL 9b
 - Hara, Debra 61a, 69a
 - hard disks
 - head crash 63b, 79a
 - ProFile 46b, 56c, 62b-62c
 - reading blocks 62b-62c, 62c-63a
 - Sider 3a, 10a, 28b, 46a, 93b
 - Hardcore Computist* 6c, 94c
 - hardware handshaking 82b, 83b-84a
 - Heathkit 6c
 - HeDaPs 7b-7c, 30c
 - HELP 52b
 - hexadecimal 11a, 20a, 21a
 - high-res graphics 29c
 - double hi-res (see double hi-res)
 - files 10b
 - HCOLOR defaults 62b
 - In Depth #1: All about Applesoft* 62b
 - long programs 62a
 - mixing modes 63a
 - printing 53b-54a, 84b
 - from Mousepaint 95c
 - (also see graphics)
 - utilities 3b
- I**
- IACcalc* 70c-71a
 - IBM 3b, 7b, 17a, 22c, 24a, 32c, 33a
 - PC/AT 64c
 - PCjr 45b, 49b
 - sales 49a
 - I Hate Computers Book* 61b
 - II Computing* 97b
 - IInd grand chats* 1a
 - identification bytes 40b, 101b
 - ILLEGAL DIRECT 16
 - Imagewriter 2d, 39a, 83b, 84a-84b
 - headline type 95c
 - Imagewriter II 73a
 - InCider* 6c, 61b, 97a, 89b
 - Incinerator* 17b-19b, 30a, 54c, 76a-76b
 - InfoWorld* 1b, 3a, 6c, 33a, 34a, 49a
 - INPUT 65a-67b
 - Input Absolutely Anything* 65a-68b
 - corrections 74
 - keyboard version 96c
 - input buffer 13a, 23c
 - Inside Apple's ProDOS* 52a-52b
 - Integer Basic 20a, 62c
 - interfacing 6b-6c
 - interrupts 16a, 35b, 46b-46c, 71c, 77a
 - 40-column IIe 71c
 - inverse 20b, 21a
 - International Apple Core 36b
- J**
- Jobs, Steve 49a, 76b
- K**
- Kansas City Royals 91b
 - Kensington Microware 55a
 - Kyan Pascal 102b
- L**
- Lam ala Ruth 40b-40c
 - Lam technique 12b
 - Lancaster, Don 1b, 28b, 37a, 54b, 63a
 - AppleWriter information 88a
 - LaserWriter information 96a
 - laser printer 50a, 54b, 96a
 - lawyers, California 91a, 91b
 - Lechner, Peter 52b, 55b
 - Lisa 1b, 49b
 - list (Monitor cmd) 11b, 12a, 20a
 - Little Kingdom, The Private Story of Apple Computer* 61b
 - LOAD (cassette command) 41b, 42a, 55a
 - LOGO 28a-28b, 37a
 - 128k version 3a, 13b
 - accessing monitor 13b
 - DEPOSIT 13b
 - EXAMINE 13b
 - files 3a
 - procedures 3a
 - soft entry 13b
 - text editing 3a
 - Lotus 1-2-3 2a, 17a, 24a, 71a, 78b
 - Lutus, Paul 36b, 37a
- M**
- Macintosh
 - mouse interface 14c, 26a
 - serial ports 83a
 - typesetting 30c
 - Imagewriter protocol 2b
 - Macul 37a-37b
 - MacWrite 5a
 - Magic Window II* 39a
 - MagiCalc* 29b, 34b
 - mail order 3a, 22b
 - Matthew Monitor 1a
 - MAUG 14b, 15b, 17b, 18a
 - MBASIC 45a
 - memory expansion
 - Apple 73a, 73b, 89b-90a
 - Applied Engineering 34a-35b, 73a, 89b
 - Checkmate Technologies 73a, 89b
 - memory map 4b
 - memory resident data 58a
 - Merlin* 52a
 - Merrill, Linda 17a, 25b, 89a
 - Micro Computer Technologies 69a-69b
 - Micro Data Products 53a
 - Micro Marketworld 28b
 - Micro-Sci 9b, 31b
 - Micrographic Images 47b
 - Micronetworked Apple Users Group (see MAUG)
 - Microsoft IIe CP/M card 38c
 - MIDI interface 104b
 - Mindstorms* 3b
 - mini-assembler 20a, 20b, 99b
 - modems 39a, 46b, 47a, 77a-77b
 - Apple Writer 103a
 - Monitor
 - accessing 10b, 12b-13b
 - accessing from LOGO 13b
 - crashing into 2a, 12a
 - enhancements 25a, 28a
 - letter dump program 12b
 - math 21a
 - POKE 72.0 when leaving 30c, 77a
 - POKE 72.4 when leaving 77a
 - text display commands 20b, 21a
 - using 9b, 20a, 28a
 - monitors
 - Apple Color 73a, 93c-94a
 - composite 35b-36a, 73a
 - RGB 35b-36a, 93a-94b
 - Mossberg, Sandy 56a
 - mouse 46c, 59a, 98a-98b
 - MouseCalc* 98a
 - Mousepaint* 14b, 95c
 - MouseText
 - CONVERT fix 64b
 - compatibility 25a, 25b, 26a
 - machine language interface 14c
 - location 40a, 61a
 - software support 14b
 - review 26a
 - move (monitor cmd) 21a
 - MS-DOS 22b, 71a
 - MultiRam 72a
- N**
- Nibble* 6c, 31b, 35a, 45b, 56a
 - nibble buffers 17b
 - Night Owl Journal* 52a
 - NO BUFFERS AVAILABLE 52a, 96b
 - NO DEVICE CONNECTED 56b
 - normal (monitor cmd) 20b, 21a
 - Norwich Data Services 57a-57b
 - NTSC 35b, 36a
- O**
- Okidata 15a-15b, 30c
 - One-Key DOS* 9a
 - ONERR GOTO 2a, 16b-16c, 51b, 71a
 - OPEN 23a
 - OpenAppleWriter* 71a-71b
 - OUT OF MEMORY 2b
- P**
- paddles 35a
 - Papert, Seymour 3b
 - parallel printer cards 82a-82b
 - Pascal
 - bug 102a
 - disk format support 10a, 11c, 28b
 - education 37a
 - hard disk support 10a, 28b, 38c
 - RAMdisk software 35a
 - third party 35a, 102b
 - UniDisk support 73b
 - update V1.3 102a, 102b
 - patches (see specific product to be patched)
 - PATH NOT FOUND 51a
 - PEEK (978) problems 64a-64b
 - Penguin Software 47a
 - Picking Up Applesoft*
 - garbage collection 4a
 - S.H. Lam technique 12b
 - PIP 44a, 45a
 - Plus-Works* 57a-57b
 - POKE 72.0 30c-31a, 77a
 - POKE 72.4 77a
 - POKE 1403 39c
 - POP 95a
 - PR#1 81b-82a, 86a-86b
 - PREFIX 51b
 - Prentice-Hall Publishing 52a-52b
 - Printers
 - alternate character sets 78c, 83b
 - Apple Dot Matrix Printer 39a, 83b
 - Apple Writer* 22a
 - AppleWorks (see AppleWorks)
 - baud rate 83a-83b
 - cards 14a, 15a-15b, 45b, 82a-82b, 84b-87a
 - data format 83b
 - graphics dump 3b, 53c
 - Gorilla to Grappler problem 63a-63b
 - hex dumps 39a, 54a
 - IDS Microprism 480 102b
 - Imagewriter 2d, 39a, 83b, 84a-84b, 95c
 - Imagewriter II 73a
 - Laserwriter 50a, 54b
 - Okidata 92 15a, 30c, 78b-78c
 - parallel 82a-82b
 - Programmer's Handbook of Computer Printer Commands* 84b
 - Scribe 39a, 45b
 - serial 82a-84a
 - softswitches 14a
 - special issue 81a-88c
 - support 29b
 - XON-XOFF protocol 2b, 84a
 - Print-It! 53c-54a, 69c
 - procedures 3a, 3b
 - ProDOS
 - A(address) with PR#x 6b, 82a
 - A(address) with files 50b, 52a
 - accessing 80-columns 23b
 - Apple Writer* 22a
 - AUX_TYPE 63c, 74b-76a
 - Basic.system
 - adding commands to 52a, 52b
 - bug 40a
 - removing 72a-72b
 - restarting 77c
 - trace bug 56a-56b
 - binary file anatomy and execution 50b
 - BLOAD length address 51b
 - BLOAD start address 51b
 - block to DOS 3.3 sector table 55b
 - bugs 40a, 55b-55c, 56a-56b
 - B(byte) 51a
 - CHAIN 50a, 62a
 - compilers 14a, 70a-70b
 - dash command 50b
 - dispatcher 79c, 101c-102a
 - DUPLICATE PATHNAME 51b
 - E(nd) parameter 50b, 51b
 - FILER 32b, 50a, 55b-55c, 72c
 - freespace on disk 23b
 - forty-track drives 31b, 55b-55c
 - garbage collection 5a, 17b
 - GET_FILE.INFO 75b-76a
 - global page 72b, 75a
 - GOSYSTEM 75b
 - high bit set problems 55a

initialization routines 80b-80c
 Juki 6100 86a-86b
 L(ength) parameter 50b, 51a
 Logo 3a
 machine language interface 72b, 72c, 75a-76a
 PEEK (978) problems 64a-64b
 NO BUFFERS AVAILABLE 52a, 96b
 NO DEVICE CONNECTED 56b
 pathnames 29b, 51b
 PREFIX 29b, 51b
 quit call 79b-79c
 R(ecord length) 52a
 RAMdisk 29b, 30b, 35a, 50a, 51b
 RESTORE 7a
 SET _FILE_INFO 75b, 76a
 STORE 6c
 system bit map 52a, 96b
 system utilities disk 72b, 72c, 77b, 86b
 T(ype) parameter 51b
 text files 3a, 23a, 24a-, 40a
 versions 50b
 warmstart 16b
 year limit 79c-80a
ProDOS Technical Reference Manual 26a, 33b, 37a, 62c, 72c, 79c
 Profile hard disk 9b, 10b, 29a, 46b
Profix 2.1 93b
 programs
 APPEND fix 24c
 Apple Dot Matrix Printer selector/deselector 87b
 ASCII demonstration 26b
 Basic.system trace bug demonstration and fixer 56a, 56b
 basic Basic copy program 51b, 75a, 75b, 76a
 BRUN bug program demonstration 54b
 BSAVE, T, CREATE patches 63c
 CONVERT modifications for MouseText 64b
 copy program 51b, 75a, 75b, 76a
 COPYA for 40-track disks 32a
 DOS 3.3 and ProDOS hybrid disk 99c-100a
 double-low res graphics 43a
 80-column screen 15b, 23b, 27b, 82a
 FORMULA TOO COMPLEX 15c
 garbage collection 4a
 get-loop routine 22b
 Grappler-Plus graphics dump 63b
 HTAB test 42a
 HumanText demo 27b, 38c
Incinerator 18a-19b
Input Absolutely Anything 67a, 68b, 74b
 Lam ala Ruth 40c
 Lam demonstration 13a
 language card loader 44a
 lower-case patch for DOS 3.3 38b
 MAXTRACK 31c
 PHOENIX 21b
 printer selected? 14a
 relocating 62a
 renaming /RAM 99c
 screen mapping demonstration 26b
 selective string preservation 5b
 serial ports on Ilc configurer 86b-87a
 Sider enable patch 80b
 structured programming skeleton 37b
 text file high bit set problem under ProDOS fixer 55b
 text file reader 2a-3a
 text file splitter 39b
 text file recover 21b
 text windows demonstration 48b
 trapping reset program 16c
 PROMPT 67b
ProntoDOS 1a, 6a, 10b, 17b, 22c, 62a, 80c, 93b
 APPEND fix 24a
 DOS-UP 23a
 PRTGET 67b, 74b
 PTI Industries 98b
 public domain 9a, 17b, 104b

Q

Quality Software 52b
 Quark 32b, 102a
Quicken 78c-79a
 QuikLoader 69a

R

RAM 128k
 cards 22c, 28b, 34a, 46a
 double hi-res with RAM/disk 30b
 questions 29c

RAM Disks
 CHAIN 23b, 62a
 double hi-res 30b
 file moving utility 51b
 ProDOS 29b, 30b, 35a, 50a
 speed 10b
 software 22c, 29c, 34b, 35a
 RAMWorks (see Applied Engineering)
 Radio Shack 1b, 9a
 Rana 9b, 22b-22c, 32b-32c, 64c
 Rbase 71a
 RDKEY 67b, 68a, 74a
 READ 2a, 23a
 text files 2a-3a
 reset (see control-reset)
 RESUME 2b, 16c
 RETURN 2b
 RETURN WITHOUT GOSUB 2b
 Reviewer's Corner
Fontrix 1.2 3b
RAMWorks 34a-36a
 Sider 10a
 uninterruptible power supplies 98b
 RF modulator 35b
 RGB 34a, 35b-36b, 54b-54c
 Roger Wagner Software 52a
 ROMS, enhanced 17a, 20b, 25a-25b, 30c, 41a-44a
 RS-232-C interface 82b-83b
 Ruth, Clay 5a, 5b, 40b-40c
 RWTS 7a-7b, 31b, 32b

S

Sander, Wendell 17a
 Sander-Cederlof, Bob 3a, 30a, 53a
 Sather, Jim 52b
 Save-It 69c
 S-C Assembler 44a, 71b, 77a
 S-C Documentor 44a
 S-C Word Processor 70c
 scratchpad RAM 28a
 screen display
 accessing 23b-23c
 CP/M 44a
 disconnecting 67b-68a, 82a
 dumping 15b-15c, 22a, 47a
 hardware 7a
 MouseText 27a, 27b-28a
 printers 82a
 POKE 1403,X 39c
 reconnecting 4a, 6b, 46b, 82a, 94a-94b
 ROMS 25a
 softswitches of 15b, 22a
 text windows 48a-48c
 screen dump 15b-15c, 22a, 47a
 screenholes 28a
 SCRG 69a
 Sculley, John 9b, 49a
 search (monitor cmd) 20b
 SECAM 35b
 serial printer cards 82a, 82b
 serial ports on the Ilc 72a-72b
 SH Lam technique 12b-13a, 21a, 23a, 30c, 40b
 Shepherd Marketing 98b
 Shugart 31b
 Sider hard drive
 bulletin board 53a
 compatability 29a
 compatability with Microsoft CP/M card 38c
 noise 29b, 93b
 review 10a
 sale 93b
 software support 70b-70c
Silicon Salad 62b
 Simonsen, Mark 36a
 Snap-Shot card 79b
 softswitches 12a
 accessing 80-column screen 15b, 22a
 bank switching 35a, 42b
 cassette support 39c
 double-resolution graphics 43a, 44a
 explanation 29c
 graphics on RGBs 36a, 54b-54c
 printer selected? 14a
Softalk 1a, 56c
 Softalk Books 47a
Softgraph 56c
 Software Access International 9a
 Software Automatic Mouth 77b
 SOL 1b
 SOS 56c

Source, The 14b
 SpeedDemon 69a-69b, 94b-94c
 stack 2b, 16a, 52a
 step (monitor cmd) 20a-20b
 STRING TOO LONG 65b
 strings 4a-5b, 65b-68a
SuperCalc 3A 53a, 55a, 58b, 78b
 update and possible bug 98a
 super serial card 72a-72b, 83a-83b, 84a, 85a, 86a, 86b
 Synergetics 54b, 88a

T

Talley, Sue 37a
 TASC compiler 70a-70b
 TEAC 31b
 Texas Instruments 99/4 9a
 text files
 APPEND bug 24a
 reading 2a-3a
 recovering 21b
 splitting 39a
 TexPrint 53c, 69c
 text screen (see screen display)
 Thirdware Computer Products, Inc. 53c
 Thomas, Bart 15b
 Thornberg, David 37a
 Thunderclock 46b, 46c, 79c-80a
Time is Money 71a, 78c-79a
 Titan Accelerator 94b-94c
 Tognazzini, Bruce 61a
 tokens 55a, 75a
 trace (monitor cmd) 20a, 20b
Triple Dump 96a
Turbo Pascal 35a, 102b

U

Ugh (see IBM)
 Ultraterm 47b
 UniDisk (see disk drives)
 UniDOS 3.3 93a
 user groups 14b, 15b, 17b
Utility City 37b

V

value-added resellers 76b
 variable clearing 6c
 variable tables 4a-5b, 66a
 video cassette recorders 17a
 verify (monitor cmd) 20b, 21a-21b, 41a
 Videx 44a, 47b
VisiCalc 25b, 33b, 35a
 Votrax 77b
 VTOC 7a, 23a, 31a, 31c, 32b, 32c

W

Wagner, Roger 11a
Wall Street Journal
 Apple Computer management 49a
 starting software businesses 45b
 Woniak, Steve's resignation 17a
 Xebec Corp (Sider) 28b
 Wang 49a
 warmstart 12a, 12b, 16b
 warranties 91a, 99a
 WGE International 61a
What's Where in the Apple 103b
 Wigginton, Randy 5a, 22b
 Wordstar 29a, 29b, 58a
 Worth, Don 52b, 55b
 Wozniak, Steve
 Apple Ilx 3a
 buys Apple stock 97a
 resignation 17a, 25a
 system monitor 10a, 20a
 WRITE PROTECTED 56b

X

Xebec 28b
 Xmodem 39a-39b
 XON/XOFF protocol 84a, 89a, 99b

Z

Z-RAM 69c